



E1EX VX

Ex db IIC, Ex eb IIC, Ex ta IIIC, Ex nR IIC

VORTEx BARRIER GLAND WITH VARIABLE DELUGE SEAL™

Features and Benefits

for Unfilled SWA and Aluminium Armoured Cable

- For indoors, outdoors, Group II, III, Zone 1, 2, 20, 21 and 22 hazardous areas. For Unfilled hygroscopic multicore cables, refer to IEC 60079-14; 9.3.2 and 10.6.2a, IEC 61892-7, 10.6 and 10.7.
- A freely rotating captive cone and inspectible cone ring provide an armour clamp and earth bond on steel wire armour and aluminium armour.
- With a patented Variable Deluge Seal™ as standard.
- Precision manufactured from high-quality brass (Marine Grade Electroless Nickel Plated"), available in aluminium or stainless steel 316/316L on request. Instantly mixed and injected resin forms a 100% barrier seal around the individual cores of the cable.
- Prevents explosive gases and/or liquids from transmitting down the cable.
- Supplied with a thread-sealing gasket (parallel threads only).

_			•	
		nn	100	ata
	CU		IGa	 aua

E1EX VX (VORTEx®)

Brass (Marine Grade Electroless Nickel Plated™), Aluminium, Gland Material:

Stainless Steel 316/316L

Seal Material: Standard Thermoset Elastomer or Extreme Temperature Seals,

Quick setting Injection Resin Barrier Seal HDPE. Nylon 66 or PTFE

Sealing Gasket Material:

Cable Type: Armour Clamping Steel Wire Armour, Aluminium Armour

Rotating Captive Cone and Inspectible Cone Ring

Outer Sheath, Variable Deluge Seal™ and VORTEx® Resin around Cable Sealing Area:

Adaptor, Reducer, Earth Tag, Locknut, Serrated Washer and Shroud **Optional Accessories:** The installer should ensure that the materials are suitable for the installation Note:

environment.

Standards and Certifications

IECEX/INMETRO: Ex db IIC Gb, Ex eb IIC Gb, Ex nR IIC Gc, Ex ta IIIC Da ATEX/UKEX: ⓐ II 2/3G 1D, Ex db IIC Gb, Ex eb IIC Gb, Ex nR IIC Gc, Ex ta IIIC Da Equipment Protection Levels TR CU: 🖬 1Ex d IIC Gb X / 1Ex e IIC Gb X / 2Ex nR IIC Gc X / Ex tb IIIC Db X CCC: Ex db IIC Gb, Ex eb IIC Gb, Ex ta IIIC Da -60°C to +100°C

Continuous Operating Temp:

Standard: IEC/BS EN 62444, 6121 IEC 60079 Part 0, 1, 7, 15, 31 EN 60079 Part 0, 1, 7, 31 EN 60079 Part 0, 1, 7, 31 IEC/BS EN **ATEX** BS EN 60079 Part 0, 1, 7, 31 BS EN 60079 Part 0, 15 ABNT NBR IEC 60079 Part 0, 1, 7, 15, 31 LIKEX INMETRO (Brazil)

ГОСТ 31610-0, 15, ГОСТ IEC 60079-1 ГОСТ Р МЭК 60079-7, 31 TR CU (Russia)

CCC/CNEx (Chinese) GB/T3836.1, 2, 3, 31-2021

SANS/IEC 60079 Part 0, 1, 7, 15, 31

IP66/68 100m - Parallel IEC 60529 IP65/66 - Tapered IEC 60529 IP68 - Tapered and approved grease IEC 60529

DTS-01 ASTM B117-11, BS EN ISO 3231 IEC 60079 Part 0, 1, 7, 15, 31 and IEC 60529 IEC 60079 Part 0, 1, 7 and IEC 60529 EN 55011, + A1, EN 55022 **Deluge Protection** Corrosion Protection

Marine ABS DNV-GL

EMC Compatible

Certificate:

CML 14CA364 IECEx CML 18.0018X CML 16ATEX1001X CML 16ATEX4002X CML 21UKEX1011X CML 21UKEX4006X TÜV 15.0483X

EA9C RU C-ZA.HA91.B.00245/21

CNEx 21.3387X CCC 2021312313000396 MASC MS/22-9001X

CML 15Y728

IECEx CML 18.0018X CML 14CA370-2 EXOVA N968667 ABS 20-1952706-1-PDA DNV-GL TAE0000010

SGS EMC305079/1 EX CE LA COME SGS [H[[x Z A CONEX COME A BS DIVEGE SABS MASC

Conditions for Safe Use - X

The cable glands shall only be used where the temperature, at the point of entry, is between -60°C and +100°C.

Only Resin supplied by CCG may be used in the glands




All dimensions except NPT are in mm. Intermediate thread sizes are available on request. NPT threads should be tightened 'wrench tight'. CCG reserves the right to make alterations to the technical data, dimensions, designs and products available without notice. The illustrations cannot be considered binding. Please contact CCG for assistance











FITTING INSTRUCTIONS

Metric Illustration

E1EX VX (VORTEx*) BARRIER GLAND

ENCLOSURES AND EQUIPMENT TO WHICH CABLE GLANDS ARE FITTED:-

- Must be made from materials which are compatible with the cable gland materials. Have a sealing area around the cable gland entry point with a surface roughness Ra 6.3 um.
- Have entries that are perpendicular to the enclosure face in the area where the cable gland will seal to within 2.5°
- Are sealed using the supplied sealing gasket (parallel threads) or by fully tightening into a threaded entry (tapered threads). Note that for tapered threads the IP rating can be improved to IP68 with the use of a suitable thread sealant.

MUST HAVE THREADED ENTRIES

- The same thread size as the cable gland. (Thread adapters should be used to correct
- any mismatch)
- With a thread tolerance of metric class '6H' or equivalent.
- Where the thread length is a minimum of 10mm for Ex d applications or 3mm for all other applications


OR CLEARANCE HOLES (not Ex d)

- Where the hole size is the thread nominal size with a tolerance of ± 0.1 to ± 0.7 mm. (e.g. the clearance hole for an M20 thread will have a diameter between 20.1mm and
- Through material that is between 1mm and 12mm thick. (Thicker materials can be accommodated using glands with extended entry threads.)
- For accurate sizing, use a CCG Dimension Tape (A) on the inner and outer cable sheath.



Separate the inner 2 from the body 3. Cut back the cable outer sheath to expose the armour to a length as per the table below. Strip back the inner bedding to expose the inner cable sheath length as per the table below.

Gland Size	Armour Length	Inner Cable Sheath Length									
00-16ss	20.0	11	3s-32s	30.0	15	6s-63s	45.0	15	9-90	50.0	21
00-20ss	20.0	11	3-30	30.0	15	6-63	45.0	15	10-100	60.0	45
0-20s	20.0	11	4s-40s	30.0	15	7s-75s	50.0	20	11-115	60.0	22
1-20	25.0	10	4-40	30.0	15	7-75	50.0	20	12-120	60.0	25
2s-25s	25.0	19	5s-50s	35.0	17	8-80	50.0	17	13-130	60.0	29
2-25	25.0	19	5-50	35.0	17	9s-90s	50.0	21			



If the cable cores have screens these should be cut away or twisted together into a single core. This single core should be insulated with heat shrink tubing or coated with insulating varnish. Any drain wires should also be insulated with heat shrink tubing or coated with insulating varnish.

- Using a clean cloth, clean the cable cores.
- Using the insulation tape, bundle the cores together at the end.



To maintain IP66/68, ensure the thread gasket ① is in place. Screw the inner ② into the apparatus and tighten to the installation torque using a CCG Spanner $\overline{\mathcal{O}}$. If the apparatus is untapped use a locknut. Pass the bundled cable cores through the outer nut $\underline{\oplus}$ and the body $\underline{\Im}$. Pass the bundled cables cores through the inner ② and inner diaphragm seal and splay the armour wires over the


If the gland has NPT entry threads fitted to a threaded entry then IP68 (2m) can be achieved by applying one of the following tested and approved grease types to the thread:- Renolit Lubrene CA700 or LX220 EP2, Renolit LC-WP2 or Moly LX2, or Dow Corning 4 Electrical Compound.



Tighten the body ③ onto the inner ② until hand tight, then tighten with a CCG Spanner ⑦ with 34 turn to lock the armour between the cone (5) and the cone ring (6).



- Unscrew the body 3. Check that the armour has locked between the cone 5 and the cone ring 6 (O-Ring on the cone ring 6 is sacrificial). Withdraw the barrier pot sub-assembly 8 and bundled cables. Remove the insulation tape.
- Remove the cap 11 from resin applicator and attach the mixing nozzle 12 (use extension nozzle for small multicore cables). Whilst holding the barrier pot sub-assembly ® upright and holding the diaphragm seal firmly against the cable sheath inject the resin into the resin chamber*. Ensure the resin fills the inspectible resin seal pot @ all the way to the top of the protective resin pot @ and wipe any excess resin away.



- 15 minutes at 10°C
- minutes at 20°C
- minutes at 30°C
- minutes at 40°C

For installations in less than 5°C Ambient, warm the Resin Tube in warm water at ± 50°C. If there is still resin left in the tube, discard the mixing nozzle @ and replace the cap @ for use with the next gland.

