



# E1EX-U VX

## Ex db I/IIC, Ex eb I/IIC, Ex ta IIIC, Ex nR IIC

# VORTEX BARRIER GLAND for Unfilled Multi Armoured Cable

#### **Features and Benefits**

- For indoors, outdoors, Group I underground mining, Group II and Group III hazardous areas.
   For unfilled hygroscopic multicore cables refer to IEC 60079-14; 9.3.2 and 10.6.2a, IEC 61892-7, 10.6 and 10.7
- Freely rotating captive cone and inspectible cone ring an armour clamp and earth bond on steel wire, aluminium, braid and tape armour.
- Precision manufactured from high-quality brass (Marine Grade Electroless Nickel Plated™) available in stainless steel 316/316L
- Patented disconnect system that allows inspection of armour clamp and inner seal after assembly
- Instantly mixed and injected Resin forms a 100% barrier seal around the individual cores of the cable.
- Prevents explosive gases and/or liquids transmitting down the cable. Supplied with a thread sealing gasket (parallel threads only).









### **Technical Data**

E1EX-U (Universal) VX (VORTEx®) Brass (Marine Grade Electroless Nickel Plated\*\*), Stainless Steel 316/316L Standard Thermoset Elastomer or Extreme Temperature Seals and Gland Material: Seal Material:

Quick Setting Barrier Resin

Quick Setting Barrier Resin
HDPE, Nylon 66 or PTFE
Steel Wire, Aluminium, Braided and Tape Armour, Cable Exhibiting Cold Flow
Rotating Captive Cone and Inspectible Cone Ring
Outer Sheath and VORTEx® Resin around Cable Conductors
Adaptor, Reducer, Earth Tag, Locknut, Serrated Washer and Shroud
The installer should ensure that the materials are suitable for the installation Sealing Gasket Material: Cable Type: Armour Clamping:

Sealing Area: Optional Accessories:

environment

-50°C and +95°C.

Standard:

#### Standards and Certifications

**Equipment Protection Levels:** IECEX/INMETRO: Ex d I Mb/ IIC Gb, Ex e I Mb/IIC Gb, Ex nR IIC Gc, Ex ta IIIC Da ATEX/UKEX: (a) I M2, (a) II 2/3G 1D, Ex d I Mb/ IIC Gb, Ex eb I Mb/IIC Gb, Ex eb I Mb/IIC Gb, Ex nRIIC Gc, Ex ta IIIC Da
TR CU: □ 1Ex d IIC Gb X / PB Ex d I Mb X / 1Ex e IIC Gb X / PΠ Ex e I Mc X / 2Ex nR IIC Gc X / Ex tb IIIC Db X
CCC: Ex db IIC Gb, Ex eb IIC Gb, Ex ta IIIC Da

Continuous Operating Temp: Conformance

Standard: IEC/BS EN 62444 IEC 60079 Part 0, 1, 7, 15, 31 EN 60079 Part 0, 1, 7, 31 EN 60079 Part 0, 15 BS EN 60079 Part 0, 1, 7, 31 IEC/BS EN ATEX UKFX BS EN 60079 Part 0, 1, 7, 31 BS EN 60079 Part 0, 15 ABNT NBR IEC 60079 Part 0, 1, 7, 15, 31 FOCT 31610-0, 15, FOCT IEC 60079-1 FOCT P M9K 60079-7, 31 GB/T3836.1, 2, 3, 31-2021 INMETRO (Brazil) TR CU (Russia) CCC/CNEx (Chinese)

KCs (Korea) Notification of Ministry of Labour No.2013-54 SANS/IEC 60079 Part 0, 1, 7, 15, 31 SANS/IEC IEC 60529

IP66/68 100m - Parallel IP65/66 - Tapered IEC 60529 IP68 - Tapered and approved greaseIEC 60529 Deluge Protection DTS-01

ASTM B117-11, BS EN ISO 3231 IEC 60079 Part 0, 1, 7, 15, 31, IEC 60529 IEC 60079 Part 0, 1, 7, IEC 60529 EN 55011, + A1, EN 55022 Corrosion Protection Marine ABS DNV-GL

EMC Compatible

EXOVA N968667 ABS 20-1952706-1-PDA DNV-GL TAE0000010 SGS EMC305079/1 (EX) (E CHE COME. Test PSafe SGS [HI[X] (CS TA CNEX (C) COST CABS DNV.GL COPECUS MARKETING CONT.



057210-VX 10-100







M100x2.0

20

3½/4











Certificate:

CML 14CA364 IECEX TSA 22.0011X CML 16ATEX1001X

CML 16ATEX4002X CML 21UKEX1011X

CML 21UKEX4006X

17-AV4BO-0087-90X MASC MS/22-9001X

IECEx CML 18.0018X CML 14CA370-2

EA9C RU C-ZA.HA91.B.00245/21

TÜV 15.0483X

CNEx 21.3387X CCC 2021312313000396

CML 15Y728



79.0

180

0.40

3.50

98.0



<b>Conditions</b>	for Safe L	Jse - X															
<ul> <li>Braided ca</li> </ul>	glands shall bles are only											uate					PATENTED
	of the cable.	CCG may be	used i	n the gland	S												PATENTED
Product	Gland	Metric Entry Thread		NPT Entry Thread		Cable Detail				Max	Max Dia.	Max No.	Armour Dia		Hex Detail		Install.
Code	Size Reference	,C,	Min 'D'	,C,	Min 'D'	Min 'A'	Max 'A'	Min 'B'	Max 'B'	Length 'E'	Over Cores	of Cores	Min 'F'	Max 'F'	Max 'Flats'	Max 'Crns'	Torque Value Nm
057200-16-VX		M16x1.5	15	-	-	3.0	8.5	5.0	10.5	60.0	8.0	6	0.20	0.90	25/27	28/30	21.0
057200S-VX	00s-20ss	M20x1.5	15	1/2/3/4	15	3.0	8.5	5.0	10.5	60.0	10.9	10	0.20	0.90	25/27	28/30	21.0
057200-VX	00-20ss	M20x1.5	15	1/2/3/4	15	3.0	8.5	8.0	13.5	60.0	10.9	10	0.20	0.90	25/27	28/30	21.0
0572-0S-VX		M20x1.5	15	1/2/3/4	15	7.0	12.0	8.0	13.5	60.0	10.9	10	0.20	1.25	25/27	28/30	21.0
0572-0-VX	0-20s	M20x1.5	15	1/2/3/4	15	7.0	12.0	11.5	16.0	60.0	10.9	10	0.20	1.25	25/27	28/30	21.0
057201-VX	1-20	M20x1.5	15	1/2/3/4	15	9.0	15.0	12.5	20.5	73.0	12.5	13	0.20	1.25	30	34	21.0
057222-VX	2s-25s	M25x1.5	15	3/4/1	15/19	11.0	17.5	16.0	24.5	82.4	15.5	20	0.20	1.60	38	43	30.0
057202-VX	2-25	M25x1.5	15	3/4/1	15/19	14.0	20.0	18.0	27.0	82.0	15.5	20	0.20	1.60	38	43	30.0
057233-VX	3s-32s	M32x1.5	15	1/11/4	19	15.0	22.0	20.0	30.5	91.0	21.7	40	0.20	2.00	45	51	42.0
057203-VX	3-32	M32x1.5	15	1/11/4	19	19.0	26.5	23.0	33.5	91.0	21.7	40	0.20	2.00	45	51	42.0
057244-VX	4s-40s	M40x1.5	15	11/4/11/2	19/21	22.0	31.5	26.5	39.5	105.0	30.0	60	0.30	2.00	55	62	52.0
057204-VX	4-40	M40x1.5	15	11/4/11/2	19/21	26.0	34.0	28.0	40.0	105.0	30.0	60	0.30	2.00	55	62	52.0
057255-VX	5s-50s	M50x1.5	15	1½/2	21	29.0	38.0	35.2	46.7	123.0	36.3	80	0.40	2.50	65	73	57.0
057205-VX	5-50	M50x1.5	15	1½/2	21	34.0	44.5	44.4	53.0	123.0	36.3	80	0.40	2.50	65	73	57.0
057266-VX	6s-63s	M63x1.5	15	2/2½	21/30	38.0	50.0	45.5	59.4	147.0	47.9	100	0.40	2.50	85	96	66.0
057206-VX	6-63	M63x1.5	15	2/2½	21/30	44.0	56.5	54.6	65.9	147.0	47.9	100	0.40	2.50	85	96	66.0
057277-VX	7s-75s	M75x1.5	15	2½/3	30/32	50.0	62.0	59.0	72.5	149.0	58.2	120	0.40	3.15	96	108	72.0
057207-VX	7-75	M75x1.5	15	2½/3	30/32	56.0	67.5	65.0	78.0	149.0	58.2	120	0.40	3.15	96	108	72.0
057208-VX	8-80	M80x2.0	20	3	32	59.0	69.0	65.0	77.5	195.0	61.5	140	0.40	3.15	96	108	80.0
057299-VX	9s-90s	M90x2.0	20 20	3/3½	32/33	66.0	75.0	73.0	86.5	204.0	70.5	160	0.40	3.50	111	125	89.0
057209-VX	9-90	M90x2.0	20	3/3½	32/33	74.0	81.5	82.0	91.0	204.0	70.5	160	0.40	3.50	105	125	89.0

All dimensions except NPT are in mm. Intermediate thread sizes are available on request. NPT threads should be tightened 'wrench tight'.

81.0

33/34

91.0

90.0

100.0 209.0

## FITTING INSTRUCTIONS

## **Metric Illustration**

## E1EX-U VX (VORTEx\*) BARRIER GLAND

#### ENCLOSURES AND EQUIPMENT TO WHICH CABLE GLANDS ARE FITTED:-

- Must be made from materials which are compatible with the cable gland materials. Have a sealing area around the cable gland entry point with a surface roughness Ra 6.3 μm.
- Have entries that are perpendicular to the enclosure face in the area where the cable gland will seal to within 2.5°.
- Are sealed using the supplied sealing gasket (parallel threads) or by fully tightening into a threaded entry (tapered threads). Note that for tapered threads the IP rating can be improved to IP68 with the use of a suitable thread sealant.

#### MUST HAVE THREADED ENTRIES


- The same thread size as the cable gland. (Thread adapters should be used to correct
- any mismatch).
- With a thread tolerance of metric class '6H' or equivalent.
- Where the thread length is a minimum of 10mm for Ex d applications or 3mm for all other applications

#### OR CLEARANCE HOLES (not Ex d)

- Where the hole size is the thread nominal size with a tolerance of +0.1 to +0.7mm. (e.g. the clearance hole for an M20 thread will have a diameter between 20.1mm and
- Through material that is between 1mm and 12mm thick. (Thicker materials can be accommodated using glands with extended entry threads.)

Separate the inner ② from the body ③. Cut back the cable outer sheath to expose the armour to a length as per the table below. Strip back the inner bedding to expose the inner cable cores using the cone \$\sigma\$ as a gauge.

Gland	Armour	Gland	Armour	Gland	Armour	Gland	Armour
Size	Length	Size	Length	Size	Length	Size	Length
00-16ss	20.0	2-25	25.0	5s-50s	35.0	7-75	50.0
00-20ss	20.0	3s-32s	30.0	5-50	35.0	8-80	50.0
0-20s	20.0	3-32	30.0	6s-63s	45.0	9s-90s	50.0
1-20	25.0	4s-40s	30.0	6-63	45.0	9-90	50.0
2s-25s	25.0	4-40	30.0	7s-75s	50.0	10-100	60.0




If the cable cores have screens these should be cut away or twisted together into a single core. This single core should be insulated with heat shrink tubing or coated with insulating varnish. Any drain wires should also be insulated with heat shrink tubing or coated with insulating varnish.

- Using a clean cloth, clean the cable cores.
- Using the insulation tape, bundle the cores together at the end.




To maintain IP66/68, ensure the gasket ① is in place. Screw the inner ② into the apparatus and tighten to the installation torque using a CCG Spanner  ${f \oslash}$  . If the apparatus is untapped use a locknut. Pass the bundled cable cores through the outer nut ④ and body ③. Pass the bundled cables cores through the inner  $\ensuremath{\mathbb{Q}}$  and inner diaphragm seal and splay the armour wires over the cone 5.

If the gland has NPT entry threads fitted to a threaded entry then IP68 (2m) can be achieved by applying one of the following tested and approved grease types to the thread:- Renolit Lubrene CA700 or LX220 EP2, Renolit LC-WP2 or Moly LX2, or Dow Corning 4 Electrical Compound.



- Screw the body  $\ensuremath{\Im}$  onto the inner  $\ensuremath{\Im}$  until hand tight, then tighten with a CCG Spanner  $\ensuremath{\Im}$ with 34 turn to lock the armour between the cone (5) and the cone ring (6).
- Unscrew the body ③. Check that the armour has locked between the cone ⑤ and the cone ring (0-Ring on the cone ring (6) is sacrificial). Withdraw the barrier pot sub-assembly ® and bundled cables. Remove the insulation tape.



Remove the cap ① from resin applicator and attach the mixing nozzle ② (use extension nozzle for small multicore


cables). Whilst holding the barrier pot sub-assembly \$ upright and holding the diaphragm seal firmly against the cable sheath, inject the resin into the resin chamber\*. Ensure the resin fills the inspectible resin seal pot @ all the way to the top of the protective resin pot @ and wipe any excess resin away.




- 15 minutes at 10°C
- minutes at 20°C
- minutes at 30°C 6
- 5 minutes at 40°C

For installations in less than 5°C Ambient, warm the Resin tube in warm water at ± 50°C If there is still Resin left in the tube, discard the mixing nozzle ② and replace the cap ① for use with the next gland.







(11)

- 9. Tighten the body © onto the inner © to the required torque using a CCG Spanner ©. Tighten the outer nut (4) to produce a moisture proof seal by turning until the seal makes contact with the outer sheath of cable and then make one full turn.
  - You Tube Instruction Video: www.youtube.com/watch?v=rsnBjoNQr3s