



## UK Quality Assurance Notification CML 21UKQAN13644 Issue 2

- 1 Equipment or Protective Systems or Components intended for use in Potentially Explosive Atmospheres UK SI 2016 No. 1107 (as amended) – Schedule 3A, Part 2 and Part 5
- 2 The scope of this notification extends to equipment, protective systems or components:

Cable Attachments (Plugs, Sockets, Glands and Fittings) Enclosures, Terminal Boxes and Terminals Protection methods:

Flameproof Ex d Increased Safety Ex e Dust Protected Ex t Restricted Breathing Ex nR Non Sparking Ex ec

All current certificates issued by Eurofins CML within the above scope and other Approved Body certificates acknowledged by Eurofins CML.

- 3 Applicant CCG Cable Termination (Pty) Ltd
- 4 Manufacturer CCG Cable Termination (Pty) Ltd
- 5 Address 33-37 Forge Road Spartan Industrial Area Kempton Park 1619 South Africa
- 6 Eurofins E&E CML Limited, Newport Business Park, New Port Road, Ellesmere Port CH65 4LZ, UK, Approved Body Number 2503 in accordance with Regulation 42 of the Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres Regulations 2016, UKSI 2016:1107 (as amended), notifies to the Applicant that the Manufacturer has a quality system which complies with Schedule 3A, Part 2 and Part 5 of the Regulations.
- 7 This Notification is based upon audit report R16896A/00
- 8 This Notification may be withdrawn if the manufacturer does not satisfy the requirements of the Regulation of UK Statutory Instruments or surveillance.
- 9 This Notification is valid until the date shown below unless withdrawn. The results of periodical re-assessment form part of this Notification.
- 10 According to Regulation 41, the UKCA mark shall be followed by the identification number 2503 to identify the Approved Body responsible for conducting the production control assessment.
- 11 Notification summary

Initial issue	0	Issue date	01-Jan-2021	
Current issue	2	Issue date	25-Jul-2024	

This Notification shall only be copied in its entirety and without change

480

Expiry

Andy C Smith Managing Director

01-Oct-2026

Version: 2.0 Approval: Approved